

शासकीय वैद्यकीय महाविद्यालय, मिरज Government Medical College, Miraj

Miraj Pandharpur Road, Miraj, Dist.- Sangli - 416410.

► Website: gmcmiraj.edu.in ► Email: deangmcmiraj@yahoo.co.in ► Phone: 0233/2232090-99 ► Fax: 0233-2231959

जा.क्र./शावैममि/भांडार/दरपत्रके/यंसाख/पीजी २५ टक्के निधी (१८-१९)/८९९ /१९, दि:-१८/०१/२०१९

संस्थेच्या संकेतस्थळावर जाहिरात प्रसिध्द करून दरपत्रके मागणी

विषय :- विविध विभागासाठी आवश्यक यंत्रसामुग्री खरेदी करणेबाबत...

खाली नमूद केल्याप्रमाणे सन २०१८-१९ या वित्तीय वर्षी यंत्र/उपकरणे खरेदीसाठी पदव्युत्तर अभ्यासक्रमाच्या श्रेणीवर्धनाकरीता राज्य शासनाचा २५ टक्के हिस्सा मधील मंजूर अनुदानातून शासकीय वैद्यकीय महाविद्यालय, मिरज या संस्थेतील विविध विभागांना आवश्यक असणारी यंत्रसामुग्री व उपकरणे संस्थास्तरावर खरेदी करण्यासाठी दरपत्रके मागविण्यांत येत असून पुरवठादारांनी पुरवठ्याचे दरपत्रक दिलेल्या मुदतीच्या आत या संस्थेत पाठविण्यात यावे. सदरचे दर बाजार भावाशी निगडित व कमीत कमी असावेत.

अ. क्र.	यंत्र/उपकरणाचे नांव	नग	स्पेसिफिकेशन	दर (सर्व करांसह)
१)	डिजिटल एसएलआर कॅमेरा वुईथ वाईड अँगल झूम लेन्स	१	सोबत जोडलेल्या स्पेसिफिकेशननुसार	
२)	इलेक्ट्रोफोरेसिस अॅपरेटस वुईथ पॉवर सप्लाय	१	सोबत जोडलेल्या स्पेसिफिकेशननुसार	
३)	डिजिटल अॅटोमेटिक कॅमेरा मोअर दॅन ५ एमपी	१	सोबत जोडलेल्या स्पेसिफिकेशननुसार	

सदरहु दरपत्रक या कार्यालयास दिनांक:-२१/०१/२०१९ पूर्वी पोहोचणे आवश्यक आहे. पुरवठादारांनी दरपत्रकाच्या लिफाफ्यावर संस्थेचे नांव, वस्तुचा अनुक्रमांक आणि वस्तुचे नांव तसेच अंतिम दिनांक:-२१/०१/१९ असे नमूद करून यंत्रनिहाय स्वतंत्र दरपत्रके योग्यरित्या सिलबंद करून खालील पत्त्यावर पाठवावीत.

"अधिष्ठाता, शासकीय वैद्यकीय महाविद्यालय मिरज, पंढरपूर रोड मिरज- ४१६ ४१०, जि.सांगली."

दरपत्रक मागवितांना खालील अटी व शर्ती राहतील.

- १) If any of the items/materials mentioned are already under the DGS & D rate contract, you are requested to give us the advantage of the contract rates as GMC Miraj is Government institute.
- २) सदरची वस्तु विभागाने मागविलेल्या स्पेसिफिकेशननुसार व उत्तम दर्जाची असावी.
- ३) सदर वस्तुची वारंटी, गॅरंटी दरपत्रकात नमूद करणे आवश्यक आहे.
- ४) वरील वस्तुची कंपनी, मॉडेल व बुकलेट दरपत्रकासोबत पाठविणे आवश्यक आहे.
- ५) उपरोक्त यंत्राची ए.एम.सी. १ टक्के दराने किंवा सी.एम.सी. ५ टक्के दराने रु.१००/- च्या स्टॅम्प पेपरवर करणे बंधनकारक राहिल
- ६) पुरवठा आदेश दिल्यास वस्तु महाविद्यालयातील संबंधित विभागामध्ये पुरविणे व स्थापित करून देणे आवश्यक आहे.
- ७) वरील वस्तुचे प्रात्यक्षिक वापर करण्याच्या विभागाने घेतल्यानंतरच व त्यांचा अहवाल समाधानकारक प्राप्त झाल्यावर देयकाची रक्कम अदा करण्यांत येईल.
- ८) प्राप्त दरपत्रक ग्राह्य अथवा रद्द करणे, दरपत्रकधारकांना पुरवठा आदेश निर्गमित करणे, तसेच संपूर्ण खरेदी प्रक्रिया स्थगित अथवा रद्द करणे याबाबतचे सर्व अधिकार संस्थाप्रमुखांनी राखून ठेवलेले आहेत.

१५

अधिष्ठाता,

शासकीय वैद्यकीय महाविद्यालय, मिरज.

21.5. 1.

75

DIGITAL SLR CAMERA WITH WIDE ANGLE ZOOM LENSE

TECHNICAL SPECIFICATIONS

A) DIGITAL SLR CAMERA -

Image Sensor Type	: CMOS sensor
Aspect Ratio	: 3:2
Image Sensor Size	: Approx. 22.3 x 14.9 mm
Effective Pixels	: Approx. 24.1 megapixels
RAW	: 24 megapixels (6000 x 4000)
Pixels Recorded	
L (Large)	: 24 megapixels (6000 x 4000)
M (Medium)	: Approx. 10.6 megapixels (3984 x 2656)
S1 (Small 1)	: Approx. 5.9 megapixels (2976 x 1984)
S2 (Small 2)	: Approx. 2.5 megapixels (1920 x 1280)
S3 (Small 3)	: Approx. 350,000 pixels (720 x 480)
Image Type	: JPEG, RAW (14-bit), RAW+JPEG simultaneous recording
Picture Style	: Auto, Standard, Portrait, Landscape, Neutral, Faithful, Monochrome, User Def. 1 - 3
Viewfinder Type	: Eye-level pentamirror
Coverage	: Vertical/Horizontal approx. 95%
LCD Monitor Type	: TFT color liquid-crystal monitor
Monitor Size and Dots	: Approx. 7.5 cm (3.0 in.) (4:3) with approx. 920,000 dots
AF Points	: 9-point (All AF points support f/5.6. Cross-type AF with center AF point.)
Focusing Brightness Range	: EV 0 - 18 (Center AF point) EV 1 - 18 (With One-Shot AF, at room temperature, ISO 100)
Focus Operation	: One-Shot AF, AI Servo AF, AI Focus AF
Metering Mode	: 63-zone TTL open-aperture metering Evaluative metering / Partial metering / Center-weighted average metering
ISO Range (Expansion)	: 100 - 6400 (expandable to 12800)
Shutter Speed	: 1/4000 sec. to 30 sec
Continuous Shooting Speed	: Max. approx. 3.0 shots/sec.
Live View Shooting Focus Method	: Contrast detection (Flexi Zone-Single, Face detection Live mode), Phase-difference detection (Quick mode)
Recording Format	: MOV
Movie	: MPEG-4 AVC/H.264 Variable (average) bit rate
Audio	: Linear PCM
Recording Size And Frame Rate	: 1920 x 1080 (Full HD): 30p/25p/24p 1280 x 720 (HD): 60p/50p 640 x 480 (VGA): 30p/25p
Creative Filters	: Grainy B/W, Soft focus, Fish-eye effect, Toy camera effect, Miniature effect
Wi-Fi / NFC	: Built-in
Dimensions (W X H X D)	: Approx. 129.0 x 101.3 x 77.6 mm
Weight (CIPA Compliant)	: Approx. 475 g (Including battery and card),
Warranty	: 2 yrs

(P T a)

B) ZOOM LENSE -

Type	: Zoom EF-S 18-55mm f/3.5-5.6 IS II
Lens Construction	: 11 elements in 9 groups
Angle of View	: 64 degrees 30 angle ~ 23 degrees 20 angle, 45 degrees 30 angle ~ 15 degrees 40 angle, 74 degrees 20 angle ~ 27 degrees 50 angle
Closest focusing distance	: 0.25 m
Maximum Magnification (x)	: 0.34 (at 55mm)
Minimum Aperture	: 22 - 38
Drive System	: MM
Filter Attachment Size	: 58 mm
Color	: Black
Dimensions	: 68.5mm x 70mm (Diameter x Length)
Weight	: Approx. 200 g
Warranty	: 2 Years Manufacturer Warranty

[Signature]

तांत्रिक समिती सदस्य

[Signature]

तांत्रिक समिती सदस्य

[Signature]

तांत्रिक समिती अध्यक्ष

Above specifications
are correct

[Signature]
3/11/2018

Associate Professor
Department of Pathology
Govt. Medical College, Miraj.

[Signature]

प्राध्यापक व विभाग प्रमुख
विकृतीशास्त्र विभाग,
शासकीय वैद्यकीय महाविद्यालय, मिरज.

[Signature]

अधिसूता

शासकीय वैद्यकीय महाविद्यालय, मिरज.


TECHNICAL SPECIFICATION


Electrophoresis Apparatus with power supply

- Constant current mode
- Range 1.5 to 100 mA
- Settable current 1.5 to 100 mA
- Accuracy $\pm 2\%$ of reading
- Normal / Reverse switch for chaining output polarity
- Read- out : 2 separate digital panel meter (3 Digit each) for display voltage & current
- Built in times : Settable from 5 to 60 mts with audio visual indicator
- Mains power supply Ac 230 V $\pm 10\%$ Electrophoresis tank
- Cabinet Dimensions 15" x 10" x 4 1/2" (approximate)
- Transparent acrylic material (sheet)
- Usable width of paper carrier 7"
- Provided with baffles to minimize diffusion of buffer


Lecturer
Dept. of Biochemistry
Govt. Medical College MIRAJ


ASSO. PROFESSOR
DEPT. OF BIOCHEMISTRY
Government Medical College, MIRAJ


PROFESSOR & HEAD
DEPARTMENT OF BIOCHEMISTRY
GOVT. MEDICAL COLLEGE, MIRAJ


PROFESSOR & HEAD
DEPARTMENT OF BIOCHEMISTRY
GOVT. MEDICAL COLLEGE, MIRAJ


अधिष्ठाता
शासकीय वैद्यकीय महाविद्यालय, मिरज.

DIGITAL AUTOMATIC CAMERA TECHNICAL SPECIFICATIONS

- | | |
|----------------------|---|
| • Image Sensor Type | : CCD |
| • Image Sensor Size | : 1/2.3 inch |
| • Effective Pixels | : 20 MP |
| • ISO Rating | : Auto, ISO 100 - ISO 800 |
| • Focal Length | : 5 (W) - 40.0 (T) mm 35 mm Film |
| • Maximum Aperture | : f/3.2 - f/9.0 (W), f/6.9 - f/20.0 (T) |
| • Zoom | : 8x Optical & Digital |
| • View Finder | : Yes |
| • Focus Mode | : Autofocus, Continuous, Servo AF |
| • Focus Range | : 1 cm - infinity (W), 1.3 m-infinity (T), Macro: 1-50 cm(W) |
| • Exposure Mode | : Program Auto |
| • Metering Modes | : Evaluative, Center-weighted Average, Spot |
| • Flash Range | : 4.9 ft. |
| • Video Resolution | : 5152 x 3864 Pixels, 3648 x 2736 Pixels, 2048 x 1536
Pixels, 560 x 1920 Pixels, 640 x 480 Pixels |
| • Video Quality | : HD |
| • Shooting Modes | : Auto, P, Digital IS, Portrait, Face Self-timer, Low Light,
Fish-eye Effect, Miniature Effect, Toy Camera Effect,
Monochrome, Super Vivid, Poster Effect, Snow,
Fireworks, Long Shutter |
| • Shutter Speed | : 1 - 1/2000 sec, 15 - 1 sec (Long Shutter Mode) |
| • Self-timer | : Yes |
| • Display Type | : LCD 2-3 inch |
| • Display Resolution | : 230000 dots |
| • Flash Memory | : 8 GB |
| • Compatible Card | : SDHC |
| • Battery Type | : Li-ion |
| • Weight | : 100-150 g |
| • Warranty Summary | : 2 Years Warranty |

तांत्रिक समिती सदस्य

तांत्रिक समिती सदस्य

तांत्रिक समिती अध्यक्ष

Above specifications
are correct.

M. R. S. S. S.
3/11/2018

Associate Professor
Department of Pathology
Govt. Medical College, Miraj.

प्राध्यापक व विभाग प्रमुख
विकृतीशास्त्र विभाग,
शासकीय वैद्यकीय महाविद्यालय, मिरज

अधिष्ठाता

शासकीय वैद्यकीय महाविद्यालय, मिरज.